

SHANGHAI

3F, Building Block 2, No. 3400 Gonghexin Road, Jing'an District - Shanghai 200436, P.R. CHINA 西迪士质量检测技术服务(上海)有限公司 上海市静安区共和新路3400号2幢3层

Tel. 电话: +86 21 68 55 50 32 Fax 传真: +86 21 68 55 50 33 E-mail电子邮件: ctcshanghai@ctcgroupe.com







中国认可 国际互认 检测 TESTING CNAS L4577

TEST REPORT 测试报告

Report No.报告号码: S210807635_1

Page页码 1/3

Date of Issue 签发日期 2021-08-13

APPLICANT 申请公司: PROTECTIVE INDUSTRIAL PRODUCTS

PROTECTIVE INDUSTRIAL PRODUCTS HONGKONG LTD., (C06226)

HUNGKUNG LID., (CU6226)

FLAT 1-11,

6/F KAR WAH INDUSTRIAL BUILDING

8 LEUNG YIP STREET

. YUEN LONG, N. T HONGKONG

CHINA

Date of receipt 收样日期:2021-08-10 Testing period 测试周期:2021-08-13 :2021-08-13

Buyer 买家: --

Sample description 样品描述: 13G seamless knitted glove with black PU coated on palm.

Style / Article no. 款号 :16-561

Test(s) requested 测试要求:--

Service 服务类型

: REGULAR普通件

Brand / Section 品牌

Season 季节

Season 字 []

End use 最终用途

Factory name工厂名称 :一

Factory code 工厂代码 :—

For CE Marking : Yes

Previous report 前测试报告号码

Product category 产品类目

Product type 产品类型

Test stage 测试阶段

Supplier name 供应商名称

Exported to 出口到

.

:FIRST TEST



1. Conclusion 测试结论:

	Tests description 测试名称	Conformity 符合性	
	EN 388	¥ + **	
1	Tear strength resistance: 2016 耐撕裂性能	Level 4	
2	Puncture resistance: 2016 耐穿刺性能	Level 3	

Pass: requirements met

通过:符合要求

Fail: requirements not met 未通过:不符合要求

None: no conclusion for this test

未作判定

N/A: not applicable

N/A:不适用

Approved by



Henry YAN 严滨 Laboratory Manager

The report is issued by CTC Shanghai under its General Conditions printed overleaf. The results shown in this report refer only to the sample (s) to Except by special arrangement, the test items will not be retained by CTC Shanghai for more than 3 months. The test report shall not except in full, without the written approval of the testing laboratory.

To conclude the conformity to the requirement, the uncertainty of measurement associated to the test results has not been taken into account.

该报告由CTC上海出具,并遵循本实验室所列之基本条款。**该报告中的检测结果仅对送检祥品有效。**若无特殊要求,CTC上海对所测样品的保存期限为3个月。该检测报告应全文引用,未经本实验室的书面许可,任何个人或第三方不得擅自复制使用。 判定该检测报告符合性情况时,未考虑与测试结果相关的测量不确定度。









中国认可 国际互认 检测 TESTING CNAS L4577

TEST REPORT

测试报告

Report No.报告号码: S210807635_1

Page页码 2/3

Date of Issue 签发日期 2021-08-13

 APPLICANT 申请公司:
 PROTECTIVE INDUSTRIAL PRODUCTS

HONGKONG LTD., (C06226)

2. Sample description assigned by laboratory 实验室样品描述:

Size 码数

Analyzed product 所测样品

GLOVE

Description 描述

Sample information 样品信息

black(black/white) PU(high
 performance PE/glass
fiber/nylon/spandex) palm



210807635-1



210807635-2

The report is issued by CTC Shanghai under its General Conditions printed overleaf. The results shown in this report refer only to the sample (s) tested. Except by special arrangement, the test items will not be retained by CTC Shanghai for more than 3 months. The test report shall not except in full, without the written approval of the testing laboratory.

To conclude the conformity to the requirement, the uncertainty of measurement associated to the test results has not been taken into account. 该报告由CTC上海出具,并遵循本实验室所列之基本条款。**该报告中的检测结果仅对送检样品有效。**若无特殊要求,CTC上海对所测样品的保存期限为3个月。该检测报告应全文引用,未经本实验室的书面许可,任何个人或第三方不得擅自复制使用。判定该检测报告符合性情况时,未考虑与测试结果相关的测量不确定度。











中国认可 国际互认 检测 TESTING CNAS L4577

TEST REPORT 测试报告

Report No.报告号码: S210807635_1

Page页码 3/3

Date of Issue 签发日期 2021-08-13

APPLICANT 申请公司: PROTECTIVE INDUSTRIAL PRODUCTS

HONGKONG LTD., (C06226)

3. GLOVE/

black(black/white) PU(high performance PE/glass fiber/nylon/spandex) palm

	Method 方法	Client Requirement 客户要求	Unit 单位	Result 结果	Conformity 符合性
(+)(*) 4.1. Tear strength resistance: 2016耐撕裂性能	EN 388:2016 + A1:2018				
Tear strength撕裂力			N	>75	
Tear strength撕裂力(2)			N	>75	
Tear strength撕裂力 (3)			N	>75	
Tear strength撕裂力 (4)			N	>75	
Performance level性能等级				4	
(+)(*) 4.1. Puncture resistance: 2016耐穿刺性能	EN 388:2016 + A1:2018				
Puncture resistance耐穿刺力	XXV		N	144	
Puncture resistance耐穿刺力(2)			N	126	
Puncture resistance耐穿刺力(3)			N	144	
Puncture resistance耐穿刺力(4)			N	140	
Performance level性能等级				3	

END OF TEST REPORT

- 报告末页 -

(+)CNAS accreditation CNAS 认可

(*)CMA accreditation CMA 认可

Unless otherwise specified, the physical test items in this report performed in CTC Shanghai lab were conditioned and tested in the environment of T 23±2°C / RH 50±4%.

除非特别说明,本报告中在CTC上海进行的物理测试项目都在此环境下完成预平衡及测试 T 23±2° C / RH 50±4%。

Table of Performance Level for Glove

Test Item	Performance Level						
Test item	0##	1	2	3	4	5	
Tear Resistance (EN 388) Force (N) (minimum)	<10	10	25	50	75		
Puncture Resistance (EN 388) Force (N) (minimum)	<20	20	60	100	150		

Performance level 0 means the glove falls below the minimum performance level for the given individual hazard

The report is issued by CTC Shanghai under its General Conditions printed overleaf. The results shown in this report refer only to the same Except by special arrangement, the test items will not be retained by CTC Shanghai for more than 3 months. The test report shall not except in full, without the written approval of the testing laboratory.

To conclude the conformity to the requirement, the uncertainty of measurement associated to the test results has not been taken into account.

该报告由CTC上海出具,并遵循本实验室所列之基本条款。**该报告中的检测结果仅对送检样品有效。**若无特殊要求,CTC上海对所测样品的保存期限 为3个月。该检测报告应全文引用,未经本实验室的书面许可,任何个人或第三方不得擅自复制使用。 判定该检测报告符合性情况时,未考虑与测试结果相关的测量不确定度。

