



SPECIFICATION SHEET

906-2080NOL7B

FIRE RESISTANT HOOD

- Meets or exceeds the standards of NFPA 1971
- Highest quality knitted "sock" style hoods that provide protection from flash fire hazards with added 2-ply construction for thermal insulation in cold weather conditions
- Nomex® protective barrier carbonizes and thickens when exposed to the intense heat of today's fires. This increases the protective barrier to minimize burn injury. Stays supple and flexible till it's cool, which gives you valuable extra seconds of protection when needed most
- Garments made of Nomex® are also durable, lasting on average two to three times longer than other standard protective fabrics
- Lenzing FR® is a specialty viscose fiber, is flame resistant, and naturally derived from wood. It offers heat and flame protection and it's unique thermal properties combined with permanent flame resistance makes it a "Heat Protection Fiber".
- This fabric combination provides comfort and breathability
- The most cost effective solution to your NFPA requirements

APPLICATIONS

- Firefighting
- Chemical plants

TECHNICAL DATA

MATERIAL	20% Nomex® and 80% Lenzing FR®
COLOR	<input type="checkbox"/> White
TPP RATING	17
CUT	Straight-Cut
COVERAGE	Full Face
LAYER	Single w/ Bib
SIZES	OSFM
PACKAGING	1 per polybag / 12 hoods per case
CASE	10" x 6" x 12" / 25.4cm x 15.2cm x 30.5cm
CASE WEIGHT	1.4 kg
COO	USA

BARCODES

ITEM	EACH	CASE
<input type="checkbox"/> 906-2080NOL7B	616314156113	02616314156111



DIMENSIONS (in/cm)

	OSFA						
A	16.1 / 40.9						
B	18 / 45.7						
C	15.25 / 38.7						
D	9 / 22.9						
E	9.75 / 24.8						
F	10 / 25.4						

