



SPECIFICATION SHEET

STYLE: 20-S13ATA/PE2



Technical Data

Color	Gray
Sizes Available	18"
Packaging	Bulk Banded
Packed	144/Case
Case Dimensions (cm)	50.80 x 35.50 x 27.90
Case Weight (kg)	6.20
Country of Origin	United States
Liner Material	ATA Fiber Technology, HPPE
Top of Arm	Elastic Ends
Ply	Single-Ply
Lining	--
Construction	Machine Knit
Certifications	TAA Compliant
Product Circularity	Reusable / Launderable Recycled via Terracycle

Kut Gard®

ATA®/ HPPE Blended Sleeve

- Proprietary ATA® Technology with HPPE fiber blend provides ANSI A2 cut protection and outstanding wearer comfort
- Lightweight 13 gauge HPPE fiber blend is cool wearing and is more comfortable than other engineered fibers
- Color-coded overedge indicates cut protection, red indicates ANSI A2, for visual confirmation and worker safety
- Antimicrobial fiber helps to prevent bacterial growth
- Knit wrist stays in place and is less binding than elastic wrist
- Good washability can be washed in soap and water or dry cleaned

Applications

- High Cut Protection and Performance
- Machine Operations
- Metal Fabrication
- Plastic Molding

Performance Data

Cut Level	A2
ANSI Puncture Level	2
ANSI Contact Heat Level	--
ASTM F1358 Vertical Flame Level	--

Care Instructions



Machine
Wash



Water Temp
40°C



Bleach



Tumble Dry



Low Heat

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-07-01