



### Xtricate™

Semi-Rimless Safety Glasses with Dark Blue Frame, Light Gray Lens and FogLess® 3Sixty™ Coating

- Rubber nose pads offer a more secure fit
- Lightweight, semi-rimless design provides all day user comfort
- Flexible temples provide a secure fit without uncomfortable pressure points
- FogLess® 3Sixty™ enhanced hydrophobic action resists lens fogging and provides clear vision in extreme working conditions
- 8.5 Base curve lens
- Meets ANSI Z87.1-2015 standards

### Applications

- Outdoor Work
- Construction Applications
- Public Works

### Technical Data

|                      |                           |
|----------------------|---------------------------|
| Color                | Dark Blue                 |
| Sizes Available      | OS                        |
| Packaging            | Bagged Each               |
| Packed               | 144/Case                  |
| Case Dimensions (cm) | 59.60 x 35.40 x 41.50     |
| Case Weight (kg)     | 7.00                      |
| Country of Origin    | Taiwan                    |
| Lens                 | Tinted                    |
| Frame Style          | Semi-Rimless              |
| Lens Color           | Light Gray                |
| Frame Fit            | Universal                 |
| Lens Coating         | FogLess 3Sixty            |
| Bridge               | Rubber                    |
| Temple               | Molded                    |
| Diopter              | --                        |
| Base Curve           | 8.5                       |
| Construction         | --                        |
| Certifications       | ANSI Z87.1, TAA Compliant |
| Product Circularity  | Recycled via Terracycle   |

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobalsafety.com](http://www.pipglobalsafety.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-04-27