

SPECIFICATION SHEET STYLE: 710HGUB



G-Tek®

Seamless Knit HPPE Blended Glove with Impact Protection and Polyurethane Coated Palm & Fingers

- Seamless construction offers increased comfort and breathability
- HPPE blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Polyurethane coatings take on the surface properties of the glove liner providing a tactile grip in dry and slightly oily conditions, ideal for applications that require dexterity for precise handling
- Thermo Plastic Rubber (TPR) back-of-hand impact resistance to knuckles and fingers by dispersing impact force energy away from the bone, without sacrificing dexterity
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification

Applications

- Thin Coating, Good Grip for High Dexterity Handling
- Maintenance and Repair Operations
- Handling, Assembly and Sorting of Small to Medium Parts and Materials
- Shipping, Receiving and Packaging



Technical Data

| Color | Gray |
|----------------------|---|
| Sizes Available | S-2XL |
| Packaging | Pair Bagged Retail Ready |
| Packed | 120/Case |
| Case Dimensions (cm) | 66.00 x 32.00 x 41.00 |
| Case Weight (kg) | 21.50 |
| Country of Origin | Viet Nam |
| Liner Material | HPPE |
| Coating | Polyurethane |
| Coating Color | Gray |
| Coating Coverage | Palm & Fingers |
| Grip | Flat |
| Gauge | 10 |
| Palm | |
| Back | |
| Cuff | Knit Wrist |
| Impact Protection | Finger, Thumb, Back of Hand |
| Construction | Coated Seamless Knit |
| Certifications | |
| Product Circularity | Recycled via Terracycle Reusable / Launderable |

Performance Data

| Cut Level | A4 |
|-------------------------|--------|
| ANSI Abrasion Level | 4 |
| ANSI Puncture Level | 3 |
| ANSI Impact Level | 1 |
| PPE Category | |
| ANSI Contact Heat Level | |
| EN 388 | 4X42DP |

Care Instructions



Wash

\40°



40°C

KEY: **()** Made from recycled or bio-based **()** Launderable **()** Recyclable via TerraCycle **()**