

SPECIFICATION SHEET

STYLE: 09-K1300



G-Tek® KEV™

Seamless Knit DuPont™ Kevlar® Glove with Latex Coated Crinkle Grip on Palm & Fingers

- Seamless knit construction protects hands without sacrificing comfort or dexterity
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct
- Latex "Crinkle" coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance
- Knit wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Launderable for extended life and to reduce replacement costs

Applications

- Secure Wet or Dry Grip, Tear and Puncture Resistant
- Handling and Cleanup of Heavy to Medium Abrasive Parts and Materials
- Demolition
- Masonry and Tile
- Steel Rod and Metal Fastening and Assembly



Technical Data

| Color | Yellow |
|----------------------|---|
| Sizes Available | S - XXL |
| Packaging | Bulk Pack |
| Packed | 6/Case |
| Case Dimensions (cm) | 65.00 x 27.00 x 24.00 |
| Case Weight (kg) | 10.00 |
| Country of Origin | China |
| Liner Material | Kevlar |
| Coating | Latex |
| Coating Color | Blue |
| Coating Coverage | Palm & Fingers |
| Grip | Crinkle |
| Gauge | 7 |
| Cuff | Knit Wrist |
| Impact Protection | |
| Construction | Coated Seamless Knit |
| Certifications | |
| Product Circularity | Reusable / Launderable Recycled via Terracycle |

Performance Data

| Cut Level | A4 |
|---------------------------------|--------|
| ANSI Abrasion Level | 3 |
| ANSI Puncture Level | |
| ANSI Impact Level | |
| ANSI Contact Heat Level | |
| EN 388 | 3544DX |
| ASTM F1358 Vertical Flame Level | |
| EN 407 | |

Care Instructions













KEY: **()** Made from recycled or bio-based **()** Launderable **()** Recyclable via TerraCycle **()**